No.



9600379

# <u>ihher unihherd) syravies of anviertiga</u>

TO ALL TO WHOM THESE; PRESENTS; SHALL, COME;

Nioneer Hi-Bred International, Inc.

LECTERS, THERE HAS BEEN PRESENTED TO THE

#### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALL, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN ducing a hybrid or different variety therefrom, to the extent provided by the PLANT VARIETY ECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'9671'

In Testimonn Mexico. I have hereunto set my hand and caused the seal of the Plant Harieto Protection Office to be affixed at the City of Washington, D.C. this thirty-first day of Warch, in the year of our Lord two thousand.

ry of Agriculturi

REPRODUCE LOCALLY. Include form number and date	on all reproductions.	FORM APPROVED - OMB NO. 0581-0055				
U.S. DEPARTMENT OF AGRICULTU AGRICULTURAL MARKETING SERV SCIENCE DIVISION - PLANT VARIETY PROTEC	ICE	The following statements are made in accordance with the Privacy 1974 (5 U.S.C. 552a).				
APPLICATION FOR PLANT VARIETY PROTEC (Instructions and information collection burden st	TION CERTIFICATE	Application is required in order to determine if a plant variety protectic certificate is to be issued (7 U.S.C. 2421). Information is held confider until certificate is issued (7 U.S.C. 2426).				
1. NAME OF APPLICANT(S) (as it is to appear on the Certificate)		2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME			
Pioneer Hi-Bred International, Inc.			9671			
			9071			
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code,	and Country)	5. TELEPHONE (include area code)	FOR OFFICIAL USE ONLY PVPO NUMBER			
700 Capital Square		515/270-3582	9600379			
400 Locust Street		6, FAX (include area code)	FIDATE			
Des Moines, Iowa 50309		515/253-2288				
7. GENUS AND SPECIES NAME	8. FAMILY NAME	(Botanical)	N Mug. 30, 1996			
Glycine max L.		ninosae	[ 32450 00			
9. CROP KIND NAME (Common name)			S DATE S DATE S DESCRIPTION OF STREET			
Soybean		•	: Nug 23, 1996			
10. IF THE APPLICANT NAMED IS NOT A "PERSON", GIVE FORM OF O	RGANIZATION (corporation, partr	nership, association, etc.) (Common name)	C CERTIFICATION FEE:			
Corporation			_ \$ 300°N			
11. IF INCORPORATED, GIVE STATE OF INCORPORATION		12. DATE OF INCORPORATION May 6, 1926	DATE THE DESCRIPTION OF THE PROPERTY OF THE PR			
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF AN	/ TO SERVE IN THIS ARRIVA					
			(include area code)			
John Grace 7300 NW 62nd Ave.	Debra Bla 700 Capti		515/270-3582			
P.O. Box 1004	400 Locu		15. FAX (include area code)			
Johnston, Iowa 50131-1004	Des Moin	es, Iowa 50309	515/253-2288			
16. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED	(Follow instructions on reve	rsel				
a. 🗹 Exhibit A. Ongin and Breeding History of the Variety	,					
b. Exhibit B. Statement of Distinctness						
c. Exhibit C. Objective Description of the Variety						
<ul> <li>d. Exhibit D. Additional Description of the Variety</li> <li>e. Exhibit E. Statement of the Basis of the Applicant's Own.</li> </ul>	ershio					
f. Voucher Sample (2,600 viable untreated seeds or, for tub	•	ation that tissue culture will be deposited and n	naintained in a public repository)			
g. 🗹 Filing and Examination Fee (\$2450), made payable to "Tro		(Mail to PVPO)				
17. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE YES If "yes," answer items 18 and 19 below)			on 83(a) of the Plant Variety Protection Act)?			
18. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE		"no," go to item (20) 19. IF "YES" TO ITEM 18, WHICH CLASSES (	OF PRODUCTION BEYOND BREEDER SEED?			
GENERATIONS?  YES NO		FOUNDATION REGISTE	RED CERTIFIED			
20. HAS THE VARIETY OR A HYBRID PRODUCED FROM THE VARIETY	BEEN RELEASED, USED, OFF	ERED FOR SALE, OR MARKETED IN THE U.S. O	R OTHER COUNTRIES?			
✓ YES (If *yes,* give names of countries and dates) U.S 1996	☐ NO	er i de la companya d				
21. The applicant(s) declare that a viable sample of basic seed of the	ariety will be furnished with a	pplication and will be replenished upon request	in accordance with such regulations as may be			
applicable, or for a tuber propagated variety a tissue culture will be						
The undersioned applicant(s) is/are) the owner(s) of this sexually section 41, and is entitled to protection under the provisions of Se	ction 42 of the Plant Variety P	id Diant variety, and believers i that the variety is rotection Act.	new. distinct uniform, and stable as required			
Applicant(s) is(are) informed that false representation herein can jo	eopardize protection and resul	it in penalties.				
SIGNATURE OF APPLICANT (OWNERS))	SIC	GNATURE OF APPLICANT (Owner(s))				
N. John Mare It						
NAME (Please print or type)	NA	ME (Please print or type)				
D. John Grace III			· · · · · · · · · · · · · · · · · · ·			
CAPACITY OR ΠΤΙΕ Soybean Research Coordinator	8/20/96 CA	PACITY OR TITLE	DATE			
SD-470 1-95) (Previous editions are to be destroyed)		(See reverse for instructions and	l information collection burden statement)			

#### Exhibit A. Origin and Breeding History of the Variety

Soybean Variety 9671

Variety 9671 evolved from a 1990 cross of

[{(Centennial/D73-4124)/(5482/Centennial)}/W20]/{(Centennial/D73-4124)/(5482/Centennial)} crossed with { Centennial / (Mack/Dare) } / (Dare/Tracy)

D73-4124 is a breeding line from the USDA, Stoneville, MS.

W20 is a germplasm line which contains a DuPont-developed trait providing enhanced tolerance to specific sulfonylurea herbicides.

9671 is an F3-derived variety which was advanced to the F3 generation by modified single seed descent. The F4 progeny row of 9671 was grown in the winter of 1992. Subsequently, 9671 has undergone three years of testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants. (As with other soybean varieties, variants can occur for almost any character during the course of repeated sexual reproduction.) On the basis of yield performance, pest resistance and enhanced tolerance to certain sulfonylurea herbicides, variety 9671 was released for sale.

The purification block was grown during the summer of 1994 and 42 sublines were bulked for increase. Two acres of 9671 (breeders seed) were grown in the winter of 1994. 10 acres of parent seedstock (foundation seed equivalent) were grown in the summer of 1995.

Soybean Variety 9671 Pioneer Hi-Bred International, Inc. April 1996

## Exhibit B. Statement of Distinctness

Soybean Variety 9671

Soybean variety 9671 is unique in that it is the only maturity group VI variety with enhanced sulfonylurea tolerance.

FORM APPROVED: OMB NO. 0581-0055

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SEED DIVISION - PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

EXHIBIT C (Soybean)

**OBJECTIVE DESCRIPTION OF VARIETY** SOYBEAN (Glycine max L.) NAME OF APPLICANT(S) TEMPORARY DESIGNATION VARIETY NAME Pioneer Hi-Bred International, Inc. 9671 ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code) FOR OFFICIAL USE ONLY 7300 N.W. 62nd Ave., P.O. Box 1004 **PVPO NUMBER** 960037**9** Johnston, IA 50131-1004 Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your answer is fewer than the number of boxes provided, place a zero on the first box when number is 9 or less (e.g., 0 9 ). Starred characters \* are considered fundamental to an adequate soybean variety description. Other characters should be described when information is available. 1. SEED SHAPE: 2 1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2) ★ 2. SEED COAT COLOR: (Mature Seed) 1 = Yellow 2 = Green 3 = Brown 4 = Black 5 = Other (Specify) 3. SEED COAT LUSTER: (Mature Hand Shelled Seed) 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy': 'Gasoy 17') ★ 4. SEED SIZE: (Mature Seed) 5 Grams per 100 seeds ★ 5. HILUM COLOR: (Mature Seed) 1 = Buff 2 = Yellow 3 = Brown 4 = Gray 5 = Imperfect Black 6 = Black 7 = Other (Specify) ★ 6. COTYLEDON COLOR: (Mature Seed) 1 = Yellow 2 = Green ★ 7. SEED PROTEIN PEROXIDASE ACTIVITY: 1 = Low 2 = High ★ 8. SEED PROTEIN ELECTROPHORETIC BAND: 1 = Type A (SP1 a) 2 = Type B (SP1 b) ★ 9. HYPOCOTYL COLOR: 1 = Green only ('Evans'; 'Davis') 2 = Green with bronze band below cotyledons ('Woodworth'; 'Tracy') 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A') ★ 10. LEAFLET SHAPE:

1 = Lanceolate

3 = Ovate

4 = Other (Specify)

2 = Oval

#### Variety Name 9671

			varioty realing corr
	11. LEAFLET SIZE:		
	2 1 = Small ('Amsoy 71'; 'A5312')	2 = Medium ('Corsoy 79'; 'Gasoy 17')	
	3 ≈ Large ('Crawford'; 'Tracy')		
	12. LEAF COLOR:		
		2 = Medium Green ('Corsoy 79'; 'Braxton')	
	3 = Dark Green ('Gnome'; 'Tracy')		
*	13. FLOWER COLOR:		
	2 1 = White 2 = Purple	3 = White with purple throat	
+	14. POD COLOR:		
^	1		
		3 = Black	
*	15. PLANT PUBESCENCE COLOR:		
	2 1 = Gray 2 = Brown (Tawny)		
	16. PLANT TYPES:		
	2 1 = Slender ('Essex'; 'Amsoy 71')	2 = Intermediate ('Amcor'; 'Braxton')	
	3 = Bushy ('Gnome'; 'Govan')		
*	17. PLANT HABIT:		
	1 = Determinate ('Gnome'; 'Braxton')	2 = Semi-Determinate ('Will')	
	3 = Indeterminate ('Nebsoy'; 'Improved Pe		
<u>.</u>			
X	18. MATURITY GROUP:		
L		$= I \qquad 5 = II \qquad 6 = III \qquad 7 = IV$	8 = V
	9 = VI $10 = VII$ $11 = VIII$ $12$	2 = IX $13 = X$	
*	19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Su	sceptible; 2 = Resistant)	
	BACTERIAL DISEASES:		
	* 2 Bacterial Pustule (Xanthomonas phase	oli var. sojensis)	
	* 1 Bacterial Blight (Pseudomonas glycinea	)	
	★ 2 Wildfire (Pseudomonas tabaci)		
	FUNGAL DISEASES:		
	Brown Spot (Septoria glycines)		
	as a specification gay on easy		
	Frogeye Leaf Spot (Cercospora sojina)		<b></b>
	Race 1	ce 3 0 Race 4 2 Race 5	Other (Specify)
	Target Spot (Corynespora cassiicola)		
	Downy Mildew (Peronospora trifoliorum v	var. manshurica)	
	Powdery Mildew (Microsphaera diffusa)		
	Brown Stem Rot (Cephalosporium gregat	(um)	
	2	•	
	Stem Canker (Diaporthe phaseolorum vai	. caunvora)	

10	DISEVO	ES DEACTION. /	Enter O - N-4 T (- 1	4 0 41				<del></del>
19.		GAL DISEASES: (Co		1 = Susceptib	ole; 2 =	Resistant) (Continued)		
*		·	(Diaporthe phaseoloru	ım vəri soisol				
				iii vai, sojaej				
	<b> </b>   '		Cercospora kikuchii)					
			(Rhizoctonia solani)					
	P	hytophthora Rot (/	Phytophthora megasper	rma var. sojae)	F	1 <u></u>		
*	P R	ace 1	e 2 0 Race 3	0 Race 4	0	Race 5 0 Race 6	0 Race 7	
	0 R	ace 8 0 Rac	e 9 Other (Sp	ecify)				
	VIRA	L DISEASES:						
	1 B	ud Blight (Tobacco	Ringspot Virus)					
	1 Y	ellow Mosaic (Bean	Yellow Mosaic Virus)		,			
*	1 c	owpea Mosaic (Cow	pea Chlorotic Virus)					
		od Mottle (Bean Pod						
*	1							
Α,		eed Mottle (Soybean TODE DISEASES:	Mosaic Virus)					
		ybean Cyst Nemato	de (Heterodera glycir	ies)	-			
*	0 Ra	ice 1 1 Race	2 0 Race 3	0 Race 4	0	Other (Specify)		
	0 La	nce Nematode <i>(Hop</i>	lolaimus Colombus)		. لـــــا	,		
*	2 so	outhern Root Knot N	ematode (Meloidogyne	incognita)				
*	0 No	orthern Root Knot N	ematode <i>(Meloidogyne</i>	Hapla)				
	0 Pe	anut Root Knot Nen	natode <i>(Meloidogyne a</i>	renaria)				
	0 Re	niform Nematode (/	Rotylenchulus reniform	is)				
	ОТ	HER DISEASE NOT	ON FORM (Specify)					
20. 1	PHYSIOL	OGICAL RESPON	SES: (ENTER 0 = No	t tested, 1 = Su	ıscepti	ble, 2 = Resistant)		
*	0 iro	n Chlorosis on Calc	areois Soil					
		her (Specify)						
24 1	<u> </u>							
21. 1			ER 0 = Not tested, 1 =	Susceptible, 2	! = Res	istant)		
	Me:	xican Bean Beetle <i>(</i>	Epilachna Varivestis)					
	O Potato Leaf Hopper (Empoasca fabae)							
		Other (Specify)						
22. I	NDICATE	WHICH VARIETY	MOST CLOSELY RE	SEMBLES THA	AT SHE	MITTEN		
	CHARA		NAME OF V		552	CHARACTER	NAME	OF VARIETY
	Plant Sha		P96			Seed Coat Luster	ITAITL	P9692
	Leaf Shap	De	P96	92		Seed Size		H6686
	Leaf Colo		P96	92		Seed shape		P9692
	Leaf Size		P96	92		Seedling Pigmentation		P9692

FORM LMGS-470-57 (6-83)

## 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	VARIETY DAYS LOD	PLANT LODGING	CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE	NO.
		SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	G/100 SEED	SEEDS POD
Submitted 9671	143.2	2.8	86			39.0	18.3	15.4	
Name of Similar Variety P9692	145.6	2.4	89			38.9	19.1	13.9	

#### PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop. Sci., 13: 420-421
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1:1-19

Soybean Variety 9671 Pioneer Hi-Bred International, Inc. April 1996

## Exhibit D. Additional Description of the Variety

Soybean Variety 9671

In Exhibit C we have identified variety 9761 as susceptible to bacterial blight, brown spot, pod and stem blight, rhizoctonia root rot, bud blight, yellow mosaic, cowpea mosaic, pod mottle and seed mottle.

This does not mean that variety 9761 is any worse for these problems than other varieties of similar maturity. Rather, we do not consider 9761 to be immune to these problems. Therefore, we have chosen to be conservative and have identified the line as "susceptible".

Variety 9671 is a mid to late group VI variety. If group VI maturities are divided into tenths, the relative maturity of 9671 is 6.7.

## Isozyme Table

ACO2	ACO3	ACP	$\mathbf{DIA}$	ENP	IDH1	IDH2	MDH	MPI	PGM1	PHI1
2	1	A	$\mathbf{B}$	$\mathbf{A}$	2	1	В	$\mathbf{A}$	2	1

Soybean Variety 9671 Pioneer Hi-Bred International, Inc. April 1996

# Exhibit E. Statement of the Basis of Applicant's Ownership

Soybean Variety 9671

Variety 9761 was originated and developed by U.S. plant breeders from whom, by agreement, Pioneer Hi-Bred International, Inc. has obtained exclusive rights to variety 9761. No rights to variety 9761 are retained by the plant breeder or by any other party.